


CONNECTOR PINOUT	
PIN NO	DESIGNATION
1	L
2	Y
3	S
4	X
5	H

- NOTES:
1. GLASS THICKNESS 3.18mm NOMINAL.
 2. FINISHED SCREEN THICKNESS 3.48mm NOMINAL.
 3. FINISHED SCREEN THICKNESS AT CABLE ATTACHMENT AREA 4.24mm MAX.
 4. SCREEN COMES WITH FRONT AND BACK SIDES GASKETS.



THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.

LOC	08
DIST	08

(3.48) SCREEN
 (1.14) FRONT SIDE GASKET
 (1.60) BACK SIDE GASKET

P	LTN	REVISION RECORD	DATE	BY	APP'D	REASON
A		INITIAL RELEASE PER EOO-018094	08/04/09	LEO		

DIMENSIONS		TOLERANCES UNLESS OTHERWISE SPECIFIED	
mm (Inches)	mm (Inches)	mm (Inches)	mm (Inches)
0 ±.10 (0.00)	0 ±.10 (0.00)	0 ±.10 (0.00)	0 ±.10 (0.00)
1 ±.10 (0.00)	1 ±.10 (0.00)	1 ±.10 (0.00)	1 ±.10 (0.00)
2 ±.10 (0.00)	2 ±.10 (0.00)	2 ±.10 (0.00)	2 ±.10 (0.00)
3 ±.10 (0.00)	3 ±.10 (0.00)	3 ±.10 (0.00)	3 ±.10 (0.00)
4 ±.10 (0.00)	4 ±.10 (0.00)	4 ±.10 (0.00)	4 ±.10 (0.00)
5 ±.10 (0.00)	5 ±.10 (0.00)	5 ±.10 (0.00)	5 ±.10 (0.00)
6 ±.10 (0.00)	6 ±.10 (0.00)	6 ±.10 (0.00)	6 ±.10 (0.00)
7 ±.10 (0.00)	7 ±.10 (0.00)	7 ±.10 (0.00)	7 ±.10 (0.00)
8 ±.10 (0.00)	8 ±.10 (0.00)	8 ±.10 (0.00)	8 ±.10 (0.00)

DATE	12/09/08	TERMINATOR	RESISTIVE	HEAT TREAT	N/A
REV	05/22/09	MARKETING DRAWING	MARKETING DRAWING	MARKETING DRAWING	MARKETING DRAWING
SCALE	1:1	SECTION	A2	MARKETING NO	MS600745
DATE	08/04/09	BY	LEO	APP'D	
SCALE	1:1	SECTION	A2	MARKETING NO	MS600745
DATE	08/04/09	BY	LEO	APP'D	

AMP1497508-4
 w/ AMP81-487117-0

LOC 08
DST 08

REV 3/10/08

1.0 MAX GLASS EDGE TO GASKET (224.00) GASKET OD 1.0 MAX GLASS EDGE TO GASKET

(1) GLASS EDGE TO GASKET

GASKET TO ACTIVE AREA 2.0 MIN

(6.35)

2X (36.100) GASKET OD

FRONT VIEW

FRONT SIDE GASKET (1.14mm THK x 6.35mm WDG) (3M 4949, DOUBLE SIDED ADHESIVE FOMAL TAPE, BLACK)

2X 2.8 MIN GASKET TO ACTIVE AREA

(6.35)

2X 1.0 MAX GLASS EDGE TO GASKET

(6.35)



P	LTN	REVISION RECORD	DATE	BY	APP'D
A		SEE SHEET ONE	08/04/09	LEO	


DIMENSIONS		TOLERANCES UNLESS OTHERWISE SPECIFIED	
mm [INCHES]		mm [INCHES]	
0.125	± 1.00	0.125	± 0.25
0.25	± 0.25	0.25	± 0.25
0.5	± 0.25	0.5	± 0.25
1.25	± 0.25	1.25	± 0.25
2.5	± 0.25	2.5	± 0.25
5	± 0.25	5	± 0.25

DATE	12/09/08	REVISION		HEAT TREAT	N/A
BY		APPROVED		RESISTIVE	(ACCUOUCH)
SCALE	1:1	DATE	05/22/09	MARKETING DRAWING	
SHEET	A2	PROJECT	SON-AS-FIT15.3-Z03-OH1-R	TYCO ELECTRONICS CORPORATION	
TOTAL SHEETS	2	DRAWING NO.	MS600745	HARRISBURG, PA 17105-3608	

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.

LOC	08
DIST	08

AMP 3307-7 REV 3/11/08 8



REAR VIEW

P	1	LM	REVISION RECORD	DATE	BY	APP	REVISION
A			SEE SHEET ONE	08/04/09			

DIMENSIONS		DIMENSIONS TOLERANCES	
mm (Inches)	mm (Inches)	mm (Inches)	mm (Inches)
0 ±0.13	0 ±0.13	±1.00	±0.25
1 ±0.13	1 ±0.13	±0.25	±0.25
2 ±0.13	2 ±0.13	±0.25	±0.25
3 ±0.13	3 ±0.13	±0.25	±0.25
4 ±0.13	4 ±0.13	±0.25	±0.25
5 ±0.13	5 ±0.13	±0.25	±0.25
6 ±0.13	6 ±0.13	±0.25	±0.25
7 ±0.13	7 ±0.13	±0.25	±0.25
8 ±0.13	8 ±0.13	±0.25	±0.25

DATE	12/09/08	TERMINATOR	RESISTIVE	HEAT TREAT	N/A
CHK		(ACQUAINT)			
REVISED	05/22/09				
LED					
NAME					
SCALE	1:1				
SHEET	A2				
MARKETING DRAWING					
SON-AS-FIT15.3-203-OH1-R					
MS600745					
SHEET	3				
OF	3				
REV	A				