


THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION AND ITS WORLDWIDE SUBSIDIARIES AND AFFILIATES. IT MAY NOT BE DISCLOSED TO ANYONE, OTHER THAN TYCO ELECTRONICS PERSONNEL, WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA USA.



LOC	08
DIST	08

AMP 3307-7 REV 3/10/09 8 7 6 5 4 3 2 1

P	LTM	A	INITIAL RELEASE PER EOO 08-021039	08/13/09	LA
REVISION RECORD					

DIMENSIONS		DIMENSIONS	
0	AC	0	AC
1	AC	1	AC
2	AC	2	AC
3	AC	3	AC
4	AC	4	AC
5	AC	5	AC

DATE	08/20/09	TECHNICAL	INTELLITOUCH	SURFACE TREATMENT
LED	08/13/09	WIDE FORMAT		
NAME	RONLEY	MARKG DWG, SCH-IT-FT118.5-001-001-R		
SCALE	1:1	MS600769		

PIN	SIGNAL	INSULATION COLOR	JACKET COLOR
1	GROUND		
2	KEY		
3	Y RECEIVE (+)	BLU	BLK
4	Y TRANSMIT (+)	BLU	GRY
5	Y RECEIVE (-)	BLK	BLK
6	Y TRANSMIT (-)	YEL	GRY
7	GROUND		
8	X TRANSMIT (+)	RED	RED
9	X RECEIVE (+)	RED	BLK
10	X TRANSMIT (-)	GRN	RED
11	X RECEIVE (-)	WHT	BLK
12	KEY		

- NOTES:
- ALL DIMENSIONS ARE IN MILLIMETERS.
 - GLASS THICKNESS: 2.7±0.05mm.
 - TRANSDUCERS ARE LOCATED AT THE POSITIONS SHOWN. HEIGHT OF TRANSDUCER ABOVE GLASS: 3.0mm[0.12"] MAX.
 - NO MATERIAL EXTENDS MORE THAN 0.8mm BEYOND THE BACK SURFACE OF THE GLASS.
 - CABLE IS ROUTED ALONG THE TOP EDGE OF THE GLASS.
 - BERG 65043-031, 2x6 HOUSING WITH BERG 48239-000 RECEPTACLES, DIRECTLY MATES WITH ANY OF THE FOLLOWING:
 - INTELLITOUCH SERIAL CONTROL BOARD
 - 012226 CABLE (2x6 TO 8" DB9 BULKHEAD)
 REFER TO WWW.INTELLITOUCH.COM FOR CONTROLLERS AND ACCESSORIES PARTS LIST.
 - THIS SCREEN IS DESIGNED TO FIT INTO A 18.5" WIDE ASPECT FORMAT DISPLAY.