





TITLE: ETI537L-XCWA-X


NOTES:
1. ALL DIMENSIONS +/- 1.0MM UNLESS NOTED
2. DIMENSIONS SHOWN ARE FOR ALL TOUCH TECHNOLOGIES UNLESS NOTED.






SEE DETAIL A
(CENTERING LIP)




DETAIL A
(CENTERING LIP)
SCALE 2.000




IR OPTION



SECURETOUCH OPTION



RECOMMENDED CUSTOMER
PANEL CUT-OUT (SEE NOTE A)



NOTE A
CUSTOMER PANEL MATERIAL:

1. WOOD: Ø4.5 HOLES THRU
FOR M4 SCREWS W/NUTS,
OR, NO THRU HOLES, SCREWS
FOR WOOD Ø4mm,

2. SHEET METAL: CONCEALED HEAD
THREADED STUDS M4 W/NUTS.

NOTE B


MONITOR INCLUDES 2 BRACKETS,
ADDITIONAL BRACKETS AVAILABLE,
P/N E203787

NOTE C


27.2 mm = SECURE TOUCH AND IR

REAR MOUNT WITH BRACKETS,
HORIZONTAL AND VERTICAL (SEE NOTE B)


MOUNTING BRACKETS
ACCOMMODATE MAX. 14mm
MATERIAL THICKNESS.




VESA MOUNT



SIDE MOUNT, VERTICAL






SIDE MOUNT, HORIZONTAL




FRONT MOUNT OPTION
P/N E323425

(ORDERED SEPARATLY, CUSTOMER ASSEMBLED)



BLACK ANODIZE FINISH



CUSTOMER PANEL CUT-OUT
AND MOUNTING HOLES



- Ø5 NOTE:
X4
1. IF CUSTOMER PANEL MATERIAL IS WOOD:
Ø4.5mm HOLES THRU FOR M4 SCREWS,
OR NO THRU HOLES, SCREWS FOR WOOD Ø4mm.
 2. IF CUSTOMER PANEL MATERIAL IS SHEET METAL:
CONCEALED HEAD THREADED STUDS M4 WITH NUTS.



RACK MOUNT OPTION
P/N E295006
(ORDERED SEPERATLY, CUSTOMER ASSEMBLED)

